

DUOMO



Compact, screened surface pendant fixtures. Residential-scale, providing soft downward and vertical illumination.

Luminaire Structure


- Painted galvanised steel pendant rod
- Die-cast aluminium housing
- Pre-treated before powder coating ensuring high corrosion resistance
- Two cable entries for through wiring
- Stainless steel fasteners in grade 316
- Durable silicone rubber gasket
- Opal toughened glass diffuser
- Integral control gear
- Optional surface mounting box for easy wiring or conduit connection when wiring from behind is not possible



Feature




Light symbol



Product colour



Special finishes upon request



We reserve the right to make technical and design changes.

01:16, 30-08-2021

<https://www.ligman.com/duomo-pendant-luminaires-du-pe3/>

Europe
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

DUOMO

Technical information

	Model number	Light source	Power	Lumen	Optic	CCT / CRI	Dimming type	Weight
Medium - Straight shade - Cone top								
DUOMO 12	DU-95036-2-2	1 COB	41 W	1763 - 1785 lm	G [129°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	10.0 kg
Medium - Straight shade - Dome top								
DUOMO 12	DU-95036-2-1	1 COB	41 W	1763 - 1785 lm	G [129°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	10.0 kg
Medium - Swept shade - Cone top								
DUOMO 12	DU-95036-1-2	1 COB	41 W	1635 - 1654 lm	G [129°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	10.0 kg
Medium - Swept shade - Dome top								
DUOMO 12	DU-95036-1-1	1 COB	41 W	1635 - 1654 lm	G [129°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	10.0 kg

Accessories



Surface
mounting box for
easy cabling
(DUOMO 12)



**SCE-
DUOMO-12**

DU-95036-1-1	•
DU-95036-1-2	•
DU-95036-2-1	•
DU-95036-2-2	•

DUOMO

DUOMO

DUOMO 12



Mounting detail

DUOMO



DUOMO

Small and medium shade wall luminaires

Compact, screened surface wall mounted fixtures. Two residential-scaled sizes, providing soft downward and vertical illumination.

<https://www.ligman.com/duomo-small-and-medium-shade-wall-luminaires-du-su3/>



DUOMO

Shepherd's crook surface wall luminaires

Compact, screened surface wall mounted fixtures. Two residential-scaled sizes, providing soft downward and vertical illumination.

<https://www.ligman.com/duomo-shepherds-crook-surface-wall-luminaires-duo-su3/>




DUOMO

Bollards

Compact, screened bollard fixtures. Residential-scale, providing soft downward and vertical illumination.

<https://www.ligman.com/duomo-bollards-du-bo3/>



DUOMO

Post top luminaires

Compact, screened post top fixtures. Residential-scale family providing soft downward and vertical illumination.

<https://www.ligman.com/duomo-post-top-luminaires-du-po3/>



DUOMO

Shepherd's crook crook post top luminaire

Compact, screened post top fixtures. Residential-scale family providing soft downward and vertical illumination.

<https://www.ligman.com/duomo-shepherds-crook-crook-post-top-luminaire-duo-po3/>