


EURASIA



High-visual-comfort bollard family. Robust but decorative urban lighting family with perfect glare-controlled lateral light distribution.

Luminaire Structure


- Die-cast aluminium housing
- Extruded aluminium column
- Pre-treated before powder coating ensuring high corrosion resistance
- Single cable entry
- One IP68 connector supplied with 0.2 m of 3x1.0 sqmm outdoor cable
- Stainless steel fasteners in grade 304 with zinc flake coating (ZFC)
- Durable silicone rubber gasket
- Sandblast finishing aluminium reflector
- Clear UV-stabilised polycarbonate diffuser
- Integral control gear



Feature




Light symbol



Product colour



Special finishes upon request



We reserve the right to make technical and design changes.

01:23, 25-10-2022

<https://www.ligman.com/eurasia-bollards-eu-b03/>

Europe
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

EURASIA

Technical information

	Model number	Light source	Power	Lumen	Optic	CCT / CRI	Dimming type	Weight	
Ø114 - 1220 mm - Dome top with shade									
EURASIA 1	EU-10026-1	1 COB	41 W	979 - 991 lm	G [360°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	12.0 kg	
Ø114 - 1220 mm - Dome top without shade									
EURASIA 2	EU-10046-1	1 COB	41 W	1040 - 1053 lm	G [360°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	11.3 kg	
Ø114 - 1220 mm - Flat top with shade									
EURASIA 1	EU-10026-2	1 COB	41 W	979 - 991 lm	G [360°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	12.0 kg	
Ø114 - 1220 mm - Flat top without shade									
EURASIA 2	EU-10046-2	1 COB	41 W	1040 - 1053 lm	G [360°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	11.3 kg	
Ø114 - 1220 mm - Pointed top with shade									
EURASIA 1	EU-10026-3	1 COB	41 W	979 - 991 lm	G [360°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	12.0 kg	
Ø114 - 1220 mm - Pointed top without shade									
EURASIA 2	EU-10046-3	1 COB	41 W	1040 - 1053 lm	G [360°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	11.3 kg	
Ø114 - 941 mm - Dome top with shade									
EURASIA 1	EU-10016-1	1 COB	41 W	979 - 991 lm	G [360°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	11.0 kg	
Ø114 - 941 mm - Dome top without shade									
EURASIA 2	EU-10036-1	1 COB	41 W	1040 - 1053 lm	G [360°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	10.3 kg	
Ø114 - 941 mm - Flat top with shade									
EURASIA 1	EU-10016-2	1 COB	41 W	979 - 991 lm	G [360°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	11.0 kg	
Ø114 - 941 mm - Flat top without shade									
EURASIA 2	EU-10036-2	1 COB	41 W	1040 - 1053 lm	G [360°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	10.3 kg	
Ø114 - 941 mm - Pointed top with shade									
EURASIA 1	EU-10016-3	1 COB	41 W	979 - 991 lm	G [360°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	11.0 kg	
Ø114 - 941 mm - Pointed top without shade									
EURASIA 2	EU-10036-3	1 COB	41 W	1040 - 1053 lm	G [360°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	10.3 kg	

Accessories

We reserve the right to make technical and design changes.




01:23, 25-10-2022

<https://www.ligman.com/eurasia-bollards-eu-b03/>

Europe
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com


ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

EURASIA


	 Anchor bolt A10191	 Security core (Anti-traffic) - Modification upon request A13091	 DALI Control System Control-DALI
EU-10016-1	•	•	•
EU-10016-2	•	•	•
EU-10016-3	•	•	•
EU-10026-1	•	•	•
EU-10026-2	•	•	•
EU-10026-3	•	•	•
EU-10036-1	•	•	•
EU-10036-2	•	•	•
EU-10036-3	•	•	•
EU-10046-1	•	•	•
EU-10046-2	•	•	•
EU-10046-3	•	•	•

EURASIA

EURASIA 1



EURASIA 2




We reserve the right to make technical and design changes.

01:23, 25-10-2022

<https://www.ligman.com/eurasia-bollards-eu-b03/>

Europe
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

EURASIA

EURASIA

Surface facade luminaires

High-visual-comfort surface wall-mounted family. Robust but decorative urban lighting family with perfect glare-controlled lateral light distribution.

<https://www.ligman.com/eurasia-surface-facade-luminaires-eu-su3/>



EURASIA

Post top luminaires

High visual comfort post top family. Robust but decorative urban lighting family with perfect glare-controlled lateral light distribution.

<https://www.ligman.com/eurasia-post-top-luminaires-eu-po3/>