

GANDALF




Surface-mounted cost-effective adjustable flood and area lighting. New higher lumen packages and extended family with a vast array of flexible performance choices.




Luminaire Structure

- Die-cast aluminium housing
- Pre-treated before powder coating ensuring high corrosion resistance
- Two cable entries for through wiring
- Stainless steel fasteners in grade 304 with zinc flake coating (ZFC)
- Durable silicone rubber gasket
- Clear toughened glass
- Integral control gear

Feature




Optic



Product colour








Special finishes upon request



GANDALF

Technical information




	Model number	Light source	Power	Lumen	Optic	CCT / CRI	Dimming type	Weight	
GANDALF 22	GA-31911	24 LED	37 W	3879 - 5207 lm	N [12°], M [30°], W [57°], VW [64°], EW [115°], T2 [142°x42°], T3 [150°x71°], T4 [122°x79°], ME [150°x63°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	8.5 kg	
GANDALF 22	GA-31912	24 LED	54 W	6126 - 7027 lm	M [30°], W [57°], EW [115°], T2 [142°x42°], T3 [150°x71°], T4 [122°x79°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	8.5 kg	
GANDALF 22	GA-31913	48 LED	54 W	5547 - 7027 lm	N [11°], M [30°], W [52°], VW [68°], EW [115°], T2 [142°x42°], T3 [150°x71°], T4 [122°x79°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	9.5 kg	
GANDALF 22	GA-31914	48 LED	74 W	7282 - 9862 lm	N [11°], M [30°], W [57°], VW [68°], EW [115°], T2 [140°x42°], T3 [148°x73°], T4 [118°x79°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	9.5 kg	
GANDALF 22	GA-31915	48 LED	89 W	8578 - 11837 lm	N [11°], M [30°], W [57°], VW [64°], EW [108°], T2 [138°x32°], T3 [140°x63°], T4 [128°x56°], ME [143°x42°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	9.5 kg	

Accessory






GA-31911	•
GA-31912	•
GA-31913	•
GA-31914	•
GA-31915	•

GA-31911, GA-31912



GA-31913, GA-31914, GA-31915



GANDALF

GANDALF
Floodlights, projectors

Surface-mounted cost-effective adjustable flood and area lighting. New higher lumen packages and extended family with vast array of flexible performance choices.

<https://www.ligman.com/gandalf-floodlights-projectors-ga-pr3/>



GANDALF
Street & area lighting luminaires

Adjustable column-mounted area floodlight. Powerful, flexible and cost-effective family with a vast array of technical optic choices.

<https://www.ligman.com/gandalf-street-area-lighting-luminaires-ga-st3/>