


HAYS




Recessed adjustable low-glare accent family. Complimentary interior lighting solution for accent lighting.




Luminaire Structure

- Die-cast aluminium housing with powder coating
- Die-cast aluminium heat sink with excellent thermal management
- Aluminium reflector with white powder coating
- Adjustable: Tilt 30°
- Remote driver is included


Feature



Optic



Product colour



HAYS

Technical information

	Model number	Light source	Power	Lumen	Optic	CCT / CRI	Dimming type	Weight
Ø107 mm								
HAYS 2	HY-80011	5 LED	9 W	413 - 579 lm	N [27°], M [36°], W [43°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI, Trailing edge	0.56 kg.
HAYS 2	HY-80021	7 LED	12 W	637 - 804 lm	N [25°], M [36°], W [39°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI, Trailing edge	0.56 kg.
Ø138 mm								
HAYS 3	HY-80031	9 LED	15 W	659 - 826 lm	N [23°], M [30°], W [35°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI, Trailing edge	1.06 kg.
HAYS 3	HY-80041	12 LED	20 W	883 - 1164 lm	N [23°], M [30°], W [35°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.06 kg.
Ø160 mm								
HAYS 4	HY-80051	18 LED	29 W	1356 - 1788 lm	N [23°], M [30°], W [35°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.48 kg.
Ø87 mm								
HAYS 1	HY-80001	3 LED	6 W	167 - 294 lm	N [28°], M [31°], W [39°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	0.33 kg.

Accessories




DALI Control
System
Control-DALI


HY-80001	•
HY-80011	•
HY-80021	•
HY-80031	•
HY-80041	•
HY-80051	•

HAYS


HY-80001




HY-80011




HY-80021



HY-80031



HY-80041



HY-80051

