

LEEDS WEDGE




Contemporary, angular surface-mounted downlight available in three different widths with corresponding lumen packages. Offering a variety of beam options, LEEDS WEDGE provides a versatile solution in an aesthetically pleasing form.




Luminaire Structure

- Die-cast aluminium housing and frame
- Pre-treated before powder coating ensuring high corrosion resistance
- Single cable entry or two cable entries for through wiring upon request
- Stainless steel fasteners in grade 304 with zinc flake coating (ZFC)
- Durable silicone rubber gasket
- Clear toughened glass
- Integral control gear
- Optional surface mounting box for easy wiring or conduit connection when wiring from behind is not possible


Feature




Optic



Product colour



Special finishes upon request



LEEDS WEDGE

Technical information


	Model number	Light source	Power	Lumen	Optic	CCT / CRI	Dimming type	Weight
Large								
LEEDS WEDGE 3	LEW-30021	12 LED	20 W	1846 - 2491 lm	M [30°], W [56°], EW [110°x103°], T1 [145°x73°], T2 [137°x58°], T3 [124°x67°], T4 [108°x67°], ME [141°x62°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.8 kg
Medium								
LEEDS WEDGE 2	LEW-30011	2 x 4 LED	14 W	1229 - 1675 lm	M [30°], W [56°], EW [111°x104°], T1 [145°x73°], T2 [139°x56°], T3 [124°x86°], T4 [106°x89°], ME [139°x61°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.5 kg 
Small								
LEEDS WEDGE 1	LEW-30001	4 LED	8 W	565 - 795 lm	M [30°], W [56°], EW [99°x102°], T1 [140°x73°], T2 [130°x50°], T3 [112°x80°], T4 [90°x61°], ME [122°x50°]	3000K CRI80, 4000K CRI80	On/Off	0.8 kg

Accessory


 DALI Control System	
Control-DALI	
LEW-30001	
LEW-30011	•
LEW-30021	•

LEEDS WEDGE


LEW-30001



LEW-30011



LEW-30021



LEEDS WEDGE



LEEDS WEDGE

Solar integrated surface facade luminaires

Contemporary, angular surface-mounted downlight with integrated solar panel and battery. LEEDS WEDGE provides up to 12 hours of operation time in an aesthetically pleasing form.

<https://www.ligman.com/leeds-wedge-solar-integrated-surface-facade-luminaires-leeds-su3/>