

LEGEND




Rectangular time-honored wall recessed accent range. Efficient, flexible and tough family in the classic brick-light proportions.




Luminaire Structure

- Available with interchangeable aluminium or stainless steel grade 316 frames
- Die-cast aluminium housing
- Pre-treated before powder coating ensuring high corrosion resistance
- Two cable entries for through wiring
- Stainless steel fasteners in grade 304 with zinc flake coating (ZFC)
- Durable silicone rubber gasket
- Opal UV-stabilised polycarbonate diffuser
- Integral control gear


Feature




Optic



Product colour



Special finishes upon request



LEGEND

Technical information

	Model number	Light source	Power	Lumen	Optic	CCT / CRI	Dimming type	Weight	
With recessing box - Aluminium frame									
LEGEND 1	LE-40591-A	48 LED	13.5 W	1298 - 1401 lm	G [96°x180°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.4 kg	
LEGEND 2	LE-40601-A	48 LED	13.5 W	227 - 247 lm	G [103°x50°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.6 kg	
LEGEND 3	LE-40611-A	48 LED	13.5 W	390 - 420 lm	G [105°x45°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.4 kg	
LEGEND 4	LE-40621-A	48 LED	13.5 W	1067 - 1151 lm	G [110°x180°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.6 kg	
LEGEND 9	LE-40671-A	48 LED	13.5 W	354 - 380 lm	G [91°x180°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.6 kg	
LEGEND 1	LE-40721-A	3 COB	11.5 W	389 - 399 lm	G [115°x180°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	2.3 kg	
LEGEND 2	LE-40722-A	3 COB	11.5 W	56 - 60 lm	G [109°x54°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	2.4 kg	
With recessing box - Stainless frame									
LEGEND 1	LE-40591-S	48 LED	13.5 W	1289 - 1401 lm	G [96°x180°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.7 kg	
LEGEND 2	LE-40601-S	48 LED	13.5 W	480 - 517 lm	G [112°x180°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.9 kg	
LEGEND 3	LE-40611-S	48 LED	13.5 W	887 - 957 lm	G [108°x180°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.9 kg	
LEGEND 1	LE-40721-S	3 COB	11.5 W	375 - 405 lm	G [115°x180°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	2.5 kg	
LEGEND 2	LE-40722-S	3 COB	11.5 W	95 - 103 lm	G [114°x63°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	2.7 kg	

Accessories




DALI Control System
Control-DALI


LE-40591-A	•
LE-40591-S	•
LE-40601-A	•
LE-40601-S	•
LE-40611-A	•
LE-40611-S	•
LE-40621-A	•
LE-40671-A	•
LE-40721-A	•
LE-40721-S	•
LE-40722-A	•
LE-40722-S	•

LEGEND


LE-40591




LE-40611




LE-40721




LE-40621



LE-40601



LE-40671



LE-40722

