MALMO

IP20

Circular recessed, surface and pendant luminaire family. Stylish luminaires providing simultaneous soft ambient lighting and an interior design statement.

Luminaire Structure

- Extruded aluminium bended profile with powder coating
- Stainless steel fasteners in grade 316
- Stainless steel, adjustable, suspension (1.5 m) complete with electrical wires in white for mounting
- PMMA diffuser with Opal (UGR <19) and micro prismatic (UGR <13) options for better glare control
- Up and down light distribution options
- Passive thermal management
- Integral control gear
- Wireless control available through Bluetooth connection
- Daylight and occupancy sensor options
- Emergency module (1 or 3 hours) is available upon request with 3 options (BASIC, SELF-TEST, PRO-DALI)

Feature



Optic



O P

Product colour

01 - Black (RAL 9011)
03 - White (RAL 9003)
05 - Matt Silver (RAL 9006)

Special finishes upon request



SU01 - Concrete - Urban
SU02 - Softscape - Urban
SU03 - Stone - Urban
SU04 - Corten - Urban

SW01 - Oak - Woodland
SW02 - Walnut - Woodland
SW03 - Pine - Woodland

We reserve the right to make technical and design changes.

THAILAND
LIGMAN Lighting Co.,Ltd.
17/2 Moo 4, Monthong, Bang Nam Priao,
24150 Chachoengsao - Thailand
info@ligman.com

MALMO

Technical information

	Model number	Light source	Power	Lumen	Optic	CCT / CRI	Dimming type	Weight	
Down - 1180 mm									
MALMO 4	**MAL-90051**	2736 LED	163 W	19364 - 22952 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	17.9 kg	
Down (Optic) & Up (Optic 2nd) - 1180 mm - RGBW									
MALMO 4	**MAL-90154**	5472 & 864 LED	396 W	13721 lm	O [107°], P [94°]	RGBW30, RGBW40	Bluetooth	20.6 kg	
Down (Optic) & Up (Optic 2nd) - 490 mm									
MALMO 4	**MAL-90122**	432 & 120 LED	68 W	7028 - 7957 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	4.2 kg	
Down (Optic) & Up (Optic 2nd) - 1180 mm									
MALMO 4	**MAL-90151**	2736 & 846 LED	266 W	26746 - 30654 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	20.6 kg	
MALMO 4	**MAL-90152**	2736 & 864 LED	302 W	37594 - 42597 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	20.6 kg	
Down (Optic) & Up (Optic 2nd) - 1180 mm - RGBW DMX									
MALMO 4	**MAL-90155**	5472 & 864 LED	396 W	13721 lm	O [107°], P [94°]	RGBW30, RGBW40	DMX, DMX/RDM	20.6 kg	
Down (Optic) & Up (Optic 2nd) - 1180 mm - TW									
MALMO 4	**MAL-90153**	5472 & 1728 LED	359 W	50850 lm	O [107°], P [94°]	TW (2700K - 6500K)	DALI	20.6 kg	
Down (Optic) & Up (Optic 2nd) - 300 mm									
MALMO 4	**MAL-90101**	168 & 72 LED	25 W	2521 - 2856 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.9 kg	
MALMO 4	**MAL-90102**	168 & 72 LED	32 W	3122 - 3578 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.9 kg	
Down (Optic) & Up (Optic 2nd) - 300 mm - RGBW									
MALMO 4	**MAL-90104**	672 & 96 LED	48 W	1212 lm	O [107°], P [94°]	RGBW40	Bluetooth	1.9 kg	
Down (Optic) & Up (Optic 2nd) - 300 mm - RGBW DMX									
MALMO 4	**MAL-90105**	672 & 96 LED	48 W	1212 lm	O [107°], P [94°]	RGBW30, RGBW40	DMX, DMX/RDM	1.9 kg	
Down (Optic) & Up (Optic 2nd) - 300 mm - TW									
MALMO 4	**MAL-90103**	336 & 72 LED	30 W	2846 lm	O [107°], P [94°]	TW (2700K - 6500K)	DALI	1.9 kg	
Down (Optic) & Up (Optic 2nd) - 390 mm									
MALMO 4	**MAL-90111**	276 & 96 LED	35 W	5159 - 5594 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	3.0 kg	
MALMO 4	**MAL-90112**	276 & 96 LED	46 W	4539 - 5279 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	3.0 kg	
Down (Optic) & Up (Optic 2nd) - 390 mm - RGBW									
MALMO 4	**MAL-90114**	1104 & 128 LED	74 W	1532 lm	O [107°], P [94°]	RGBW30, RGBW40	Bluetooth	3.0 kg	
Down (Optic) & Up (Optic 2nd) - 390 mm - RGBW DMX									

THAILAND
LIGMAN Lighting Co.,Ltd.
17/2 Moo 4, Monthong, Bang Nam Priao,
24150 Chachoengsao - Thailand
info@ligman.com

MALMO

MALMO 4	**MAL-90115**	1104 & 128 LED	74 W	1532 lm	O [107°], P [94°]	RGBW30, RGBW40	DMX, DMX/RDM	3.0 kg	
Down (Optic) & Up (Optic 2nd) - 390 mm - TW									
MALMO 4	**MAL-90113**	552 & 96 LED	41 W	4738 lm	O [107°], P [94°]	TW (2700K - 6500K)	DALI	3.0 kg	
Down (Optic) & Up (Optic 2nd) - 490 mm									
MALMO 4	**MAL-90121**	432 & 120 LED	51 W	5289 - 5965 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	4.2 kg	
Down (Optic) & Up (Optic 2nd) - 490 mm - RGBW									
MALMO 4	**MAL-90124**	1728 & 160 LED	78 W	2211 lm	O [107°], P [94°]	RGBW30, RGBW40	Bluetooth	4.2 kg	
Down (Optic) & Up (Optic 2nd) - 490 mm - RGBW DMX									
MALMO 4	**MAL-90125**	1728 & 160 LED	78 W	2211 lm	O [107°], P [94°]	RGBW30, RGBW40	DMX, DMX/RDM	4.2 kg	
Down (Optic) & Up (Optic 2nd) - 490 mm - TW									
MALMO 4	**MAL-90123**	864 & 120 LED	56 W	3567 lm	O [107°], P [94°]	TW (2700K - 6500K)	DALI	4.2 kg	
Down (Optic) & Up (Optic 2nd) - 580 mm									
MALMO 4	**MAL-90131**	624 & 168 LED	79 W	8895 - 10056 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	5.6 kg	
MALMO 4	**MAL-90132**	624 & 168 LED	113 W	12608 - 14303 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	5.6 kg	
Down (Optic) & Up (Optic 2nd) - 580 mm - RGBW									
MALMO 4	**MAL-90134**	2496 & 224 LED	112 W	3870 lm	O [107°], P [94°]	RGBW30, RGBW40	Bluetooth	5.6 kg	
Down (Optic) & Up (Optic 2nd) - 580 mm - RGBW DMX									
MALMO 4	**MAL-90135**	2496 & 224 LED	112 W	3870 lm	O [107°], P [94°]	RGBW30, RGBW40	DMX, DMX/RDM	5.6 kg	
Down (Optic) & Up (Optic 2nd) - 580 mm - TW									
MALMO 4	**MAL-90133**	1248 & 168 LED	80 W	16389 lm	O [107°], P [94°]	TW (2700K - 6500K)	DALI	5.6 kg	
Down (Optic) & Up (Optic 2nd) - 980 mm									
MALMO 4	**MAL-90141**	1872 & 588 LED	257 W	23480 - 26313 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	13.9 kg	
MALMO 4	**MAL-90142**	1872 & 588 LED	308 W	31605 - 35579 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	13.9 kg	
Down (Optic) & Up (Optic 2nd) - 980 mm - RGBW									
MALMO 4	**MAL-90144**	7488 & 588 LED	308 W	9388 lm	O [107°], P [94°]	RGBW30, RGBW40	Bluetooth	13.9 kg	
Down (Optic) & Up (Optic 2nd) - 980 mm - RGBW DMX									
MALMO 4	**MAL-90145**	7488 & 588 LED	308 W	9388 lm	O [107°], P [94°]	RGBW30, RGBW40	DMX, DMX/RDM	13.9 kg	
Down (Optic) & Up (Optic 2nd) - 980 mm - TW									
MALMO 4	**MAL-90143**	3744 & 588 LED	246 W	34792 lm	O [107°], P [94°]	TW (2700K - 6500K)	DALI	13.9 kg	

THAILAND
LIGMAN Lighting Co.,Ltd.
17/2 Moo 4, Monthong, Bang Nam Priao,
24150 Chachoengsao - Thailand
info@ligman.com

MALMO

Down - 1180 mm									
MALMO 4	**MAL-90052**	2736 LED	229 W	27204 - 32117 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	17.9 kg	
Down - 1180 mm - RGBW									
MALMO 4	**MAL-90054**	10944 LED	329 W	10344 lm	O [107°], P [94°]	RGBW40	Bluetooth	17.9 kg	
Down - 1180 mm - RGBW DMX									
MALMO 4	**MAL-90055**	10944 LED	329 W	10344 lm	O [107°], P [94°]	RGBW40	DMX, DMX/RDM	17.9 kg	
Down - 1180 mm - TW									
MALMO 4	**MAL-90053**	5472 LED	273 W	29554 lm	O [107°], P [94°]	TW (2700K - 6500K)	DALI	17.9 kg	
Down - 300 mm									
MALMO 4	**MAL-90001**	168 LED	15 W	1428 - 1715 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.7 kg	
MALMO 4	**MAL-90002**	168 LED	22 W	2028 - 2436 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	1.7 kg	
Down - 300 mm - RGBW DMX									
MALMO 4	**MAL-90005**	672 LED	34 W	909 lm	O [107°], P [94°]	RGBW40	DMX, DMX/RDM	1.7 kg	
Down - 300 mm - RGBW									
MALMO 4	**MAL-90004**	672 LED	34 W	909 lm	O [107°], P [94°]	RGBW40	Bluetooth	1.7 kg	
Down - 300 mm - TW									
MALMO 4	**MAL-90003**	336 LED	21 W	1679 - 1956 lm	O [107°], P [94°]	TW (2700K - 6500K)	DALI	1.7 kg	
Down - 390 mm									
MALMO 4	**MAL-90011**	276 LED	26 W	2514 - 3006 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	2.6 kg	
MALMO 4	**MAL-90012**	276 LED	37 W	3559 - 4256 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	2.6 kg	
Down - 390 mm - RGBW									
MALMO 4	**MAL-90014**	1104 LED	55 W	1494 lm	O [107°], P [94°]	RGBW40	Bluetooth	2.6 kg	
Down - 390 mm - RGBW DMX									
MALMO 4	**MAL-90015**	1104 LED	55 W	1494 lm	O [107°], P [94°]	RGBW40	DMX, DMX/RDM	2.6 kg	
Down - 390 mm - TW									
MALMO 4	**MAL-90013**	552 LED	30 W	3054 - 3446 lm	O [107°], P [94°]	TW (2700K - 6500K)	DALI	2.6 kg	
Down - 490 mm									
MALMO 4	**MAL-90021**	432 LED	39 W	4107 - 4732 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	3.8 kg	
MALMO 4	**MAL-90022**	432 LED	57 W	5846 - 6724 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	3.8 kg	

We reserve the right to make technical and design changes.

THAILAND
LIGMAN Lighting Co.,Ltd.
17/2 Moo 4, Monthong, Bang Nam Priao,
24150 Chachoengsao - Thailand
info@ligman.com

MALMO

Down - 490 mm - RGBW									
MALMO 4	**MAL-90024**	1728 LED	54 W	2338 lm	O [107°], P [94°]	RGBW40	Bluetooth	3.8 kg	
Down - 490 mm - RGBW DMX									
MALMO 4	**MAL-90025**	1728 LED	54 W	2338 lm	O [107°], P [94°]	RGBW40	DMX, DMX/RDM	3.8 kg	
Down - 490 mm - TW									
MALMO 4	**MAL-90023**	864 LED	43 W	4737 - 5427 lm	O [107°], P [94°]	TW (2700K - 6500K)	DALI	3.8 kg	
Down - 580 mm									
MALMO 4	**MAL-90031**	624 LED	53 W	5819 - 6845 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	5.2 kg	
MALMO 4	**MAL-90032**	624 LED	77 W	8265 - 9770 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	5.2 kg	
Down - 580 mm - RGBW									
MALMO 4	**MAL-90034**	7488 LED	78 W	3377 lm	O [107°], P [94°]	RGBW40	Bluetooth	5.2 kg	
Down - 580 mm - RGBW DMX									
MALMO 4	**MAL-90035**	7488 LED	78 W	3377 lm	O [107°], P [94°]	RGBW40	DMX, DMX/RDM	5.2 kg	
Down - 580 mm - TW									
MALMO 4	**MAL-90033**	1248 LED	63 W	9649 lm	O [107°], P [94°]	TW (2700K - 6500K)	DALI	5.2 kg	
Down - 980 mm									
MALMO 4	**MAL-90041**	1872 LED	111 W	13262 - 15647 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	12.8 kg	
MALMO 4	**MAL-90042**	1872 LED	157 W	18547 - 21948 lm	O [107°], P [94°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	12.8 kg	
Down - 980 mm - RGBW									
MALMO 4	**MAL-90044**	7488 LED	234 W	7077 lm	O [107°], P [94°]	RGBW40	Bluetooth	12.8 kg	
Down - 980 mm - RGBW DMX									
MALMO 4	**MAL-90045**	7488 LED	234 W	7077 lm	O [107°], P [94°]	RGBW40	DMX, DMX/RDM	12.8 kg	
Down - 980 mm - TW									
MALMO 4	**MAL-90043**	3744 LED	187 W	20221 lm	O [107°], P [94°]	TW (2700K - 6500K)	DALI	12.8 kg	

Accessories

Recessing box
A61051



Supply cable surface mounting box
A80981

Wireless bluetooth converter
A90291

Xpress wireless switch
A90591

Decorative pattern - Type A for MALMO 300 mm
A90821

Decorative pattern - Type A for MALMO 400 mm
A90921

Decorative pattern - Type A for MALMO 500 mm
A91021

We reserve the right to make technical and design changes.

THAILAND
LIGMAN Lighting Co.,Ltd.
17/2 Moo 4, Monthong, Bang Nam Priao,
24150 Chachoengsao - Thailand
info@ligman.com

MALMO

MAL-90001		•	•	•	•		
MAL-90002		•	•	•	•		
MAL-90003		•	•	•	•		
MAL-90004	•	•		•	•		
MAL-90005		•			•		
MAL-90011		•	•	•		•	
MAL-90012		•	•	•		•	
MAL-90013		•	•	•		•	
MAL-90014	•	•		•	•		
MAL-90015		•			•		
MAL-90021		•	•	•			•
MAL-90022		•	•	•			•
MAL-90023		•	•	•			•
MAL-90024	•	•		•	•		
MAL-90025		•			•		
MAL-90031		•	•	•			
MAL-90032		•	•	•			
MAL-90033		•	•	•			•
MAL-90034	•	•		•	•		
MAL-90035		•			•		
MAL-90041		•	•	•			
MAL-90042		•	•	•			
MAL-90043		•	•	•			
MAL-90044	•	•		•	•		
MAL-90045		•			•		
MAL-90051		•	•	•			
MAL-90052		•	•	•			
MAL-90053		•	•	•			
MAL-90054	•	•		•	•		
MAL-90055		•			•		
MAL-90101		•	•	•	•		
MAL-90102		•	•	•	•		
MAL-90103		•	•	•	•		
MAL-90104	•	•		•	•		
MAL-90105		•			•		
MAL-90111		•	•	•		•	
MAL-90112		•	•	•		•	
MAL-90113		•	•	•		•	
MAL-90114	•	•		•	•		
MAL-90115		•			•		
MAL-90121		•	•	•			•
MAL-90122		•	•	•			•
MAL-90123		•	•	•			•
MAL-90124	•	•		•	•		
MAL-90125		•	•	•			•
MAL-90131		•	•	•			
MAL-90132		•	•	•			
MAL-90133		•	•	•			
MAL-90134	•	•		•			
MAL-90135		•			•		
MAL-90141		•	•	•			
MAL-90142		•	•	•			
MAL-90143		•	•	•			
MAL-90144	•	•		•			
MAL-90145		•			•		
MAL-90151		•	•	•			
MAL-90152		•	•	•			
MAL-90153		•	•	•			
MAL-90154	•	•		•			
MAL-90155		•			•		

We reserve the right to make technical and design changes.

THAILAND
LIGMAN Lighting Co.,Ltd.
17/2 Moo 4, Monthong, Bang Nam Priao,
24150 Chachoengsao - Thailand
info@ligman.com

MALMO

	Decorative pattern - Type A for MALMO 600 mm **A91121**	Decorative pattern - Type A for MALMO 1000 mm **A91221**	Decorative pattern - Type A for MALMO 1200 mm **A91321**	Decorative pattern - Type B for MALMO 300 mm **A92221**	Decorative pattern - Type B for MALMO 400 mm **A92321**	Decorative pattern - Type B for MALMO 500 mm **A92421**	 Decorative pattern - Type B for MALMO 600 mm **A92521**
MAL-90001				•			
MAL-90002				•			
MAL-90003				•			
MAL-90004				•			
MAL-90005				•			
MAL-90011					•		
MAL-90012					•		
MAL-90013					•		
MAL-90014				•			
MAL-90015				•			
MAL-90021						•	
MAL-90022						•	
MAL-90023						•	
MAL-90024				•			
MAL-90025				•			
MAL-90031	•						•
MAL-90032	•						•
MAL-90033						•	
MAL-90034				•			
MAL-90035				•			
MAL-90041		•					
MAL-90042		•					
MAL-90043		•					
MAL-90044				•			
MAL-90045				•			
MAL-90051			•				
MAL-90052			•				
MAL-90053			•				
MAL-90054				•			
MAL-90055				•			
MAL-90101				•			
MAL-90102				•			
MAL-90103				•			
MAL-90104				•			
MAL-90105				•			
MAL-90111					•		
MAL-90112					•		
MAL-90113					•		
MAL-90114				•			
MAL-90115				•			
MAL-90121						•	
MAL-90122						•	
MAL-90123						•	
MAL-90124				•			
MAL-90125						•	
MAL-90131	•						•
MAL-90132	•						•
MAL-90133	•						•
MAL-90134	•						•
MAL-90135				•			
MAL-90141		•					
MAL-90142		•					
MAL-90143		•					
MAL-90144		•					
MAL-90145				•			
MAL-90151			•				
MAL-90152			•				

We reserve the right to make technical and design changes.

THAILAND
LIGMAN Lighting Co.,Ltd.
17/2 Moo 4, Monthong, Bang Nam Priao,
24150 Chachoengsao - Thailand
info@ligman.com

MALMO

MAL-90153	•
MAL-90154	•
MAL-90155	•

	Decorative pattern - Type B for MALMO 1000 mm **A92621**	Decorative pattern - Type B for MALMO 1200 mm **A92721**	Decorative pattern - Type C for MALMO 300 mm **A93621**	Decorative pattern - Type C for MALMO 400 mm **A93721**	Decorative pattern - Type C for MALMO 500 mm **A93821**	Decorative pattern - Type C for MALMO 600 mm **A93921**	Decorative pattern - Type C for MALMO 1000 mm **A94021**
MAL-90001			•				
MAL-90002			•				
MAL-90003			•				
MAL-90004			•				
MAL-90005			•				
MAL-90011				•			
MAL-90012				•			
MAL-90013				•			
MAL-90014			•				
MAL-90015			•				
MAL-90021					•		
MAL-90022					•		
MAL-90023					•		
MAL-90024			•				
MAL-90025			•				
MAL-90031						•	
MAL-90032						•	
MAL-90033					•		
MAL-90034			•				
MAL-90035			•				
MAL-90041	•						•
MAL-90042	•						•
MAL-90043	•						•
MAL-90044			•				
MAL-90045			•				
MAL-90051		•					
MAL-90052		•					
MAL-90053		•					
MAL-90054			•				
MAL-90055			•				
MAL-90101			•				
MAL-90102			•				
MAL-90103			•				
MAL-90104			•				
MAL-90105			•				
MAL-90111				•			
MAL-90112				•			
MAL-90113				•			
MAL-90114			•				
MAL-90115			•				
MAL-90121					•		
MAL-90122					•		
MAL-90123					•		
MAL-90124			•				
MAL-90125					•		
MAL-90131						•	
MAL-90132						•	
MAL-90133						•	
MAL-90134						•	
MAL-90135			•				
MAL-90141	•						•
MAL-90142	•						•

THAILAND
LIGMAN Lighting Co.,Ltd.
17/2 Moo 4, Monthong, Bang Nam Priao,
24150 Chachoengsao - Thailand
info@ligman.com

MALMO

MAL-90143	•							•
MAL-90144	•							•
MAL-90145			•					
MAL-90151		•						
MAL-90152		•						
MAL-90153	•							•
MAL-90154		•						
MAL-90155			•					

	Decorative pattern - Type C for MALMO 1200 mm **A94121**	DALI Control System **Control-DALI**	DMX Control System **Control-DMX**	DMX/RDM Control System **Control-DMX-RDM**	Emergency module - 250V - BASIC **EM250V-BA**	Emergency module - 250V - PRO-DALI **EM250V-DA**	Emergency module - 250V - SELF-TEST **EM250V-ST**
MAL-90001		•					
MAL-90002		•					
MAL-90003		•					
MAL-90004		•					
MAL-90005			•	•			
MAL-90011		•					
MAL-90012		•					
MAL-90013		•					
MAL-90014		•					
MAL-90015			•	•			
MAL-90021		•			•	•	•
MAL-90022		•			•	•	•
MAL-90023		•					
MAL-90024		•					
MAL-90025			•	•			
MAL-90031		•			•	•	•
MAL-90032		•			•	•	•
MAL-90033		•					
MAL-90034		•					
MAL-90035			•	•			
MAL-90041		•			•	•	•
MAL-90042		•			•	•	•
MAL-90043		•					
MAL-90044		•					
MAL-90045			•	•			
MAL-90051	•	•					
MAL-90052	•	•					
MAL-90053	•	•					
MAL-90054		•					
MAL-90055			•	•			
MAL-90101		•					
MAL-90102		•					
MAL-90103		•					
MAL-90104		•					
MAL-90105			•	•			
MAL-90111		•					
MAL-90112		•					
MAL-90113		•					
MAL-90114		•					
MAL-90115			•	•			
MAL-90121		•					
MAL-90122		•					
MAL-90123		•					
MAL-90124		•					
MAL-90125			•	•			
MAL-90131		•					
MAL-90132		•					

We reserve the right to make technical and design changes.

THAILAND
LIGMAN Lighting Co.,Ltd.
17/2 Moo 4, Monthong, Bang Nam Priao,
24150 Chachoengsao - Thailand
info@ligman.com

MALMO

MAL-90133		•		
MAL-90134		•		
MAL-90135			•	•
MAL-90141		•		
MAL-90142		•		
MAL-90143		•		
MAL-90144		•		
MAL-90145			•	•
MAL-90151	•	•		
MAL-90152	•	•		
MAL-90153		•		
MAL-90154	•	•		
MAL-90155			•	•

MAL-90001, MAL-90002, MAL-90003,
MAL-90004, MAL-90005
MAL-90101, MAL-90102, MAL-90103,
MAL-90104, MAL-90105



MAL-90011, MAL-90012, MAL-90013,
MAL-90014, MAL-90015
MAL-90111, MAL-90112, MAL-90113,
MAL-90114, MAL-90115



MAL-90021, MAL-90022, MAL-90023,
MAL-90024, MAL-90025
MAL-90121, MAL-90122, MAL-90123,
MAL-90124, MAL-90125



MAL-90031, MAL-90032, MAL-90033,
MAL-90034, MAL-90035
MAL-90131, MAL-90132, MAL-90133,
MAL-90134, MAL-90135



MAL-90041, MAL-90042, MAL-90043,
MAL-90044, MAL-90045
MAL-90141, MAL-90142, MAL-90143,
MAL-90144, MAL-90145



MAL-90051, MAL-90052, MAL-90053,
MAL-90054, MAL-90055
MAL-90151, MAL-90152, MAL-90153,
MAL-90154, MAL-90155



We reserve the right to make technical and design changes.

THAILAND
LIGMAN Lighting Co.,Ltd.
17/2 Moo 4, Monthong, Bang Nam Priao,
24150 Chachoengsao - Thailand
info@ligman.com

MALMO

MALMO

Surface ceiling luminaires

Circular recessed, surface and pendant luminaire family. Stylish luminaires providing simultaneous soft ambient lighting and an interior design statement.

https://www.ligman.com/malmo-surface-ceiling-luminaires-ma-cei3/

MALMO

Recessed ceiling luminaires

Circular recessed, surface and pendant luminaire family. Stylish luminaires providing simultaneous soft ambient lighting and interior design statement.

https://www.ligman.com/malmo-recessed-ceiling-luminaires-ma-rec3/

We reserve the right to make technical and design changes.

THAILAND
LIGMAN Lighting Co.,Ltd.
17/2 Moo 4, Monthong, Bang Nam Priao,
24150 Chachoengsao - Thailand
info@ligman.com