


NORTON




Quadruple-cluster directional downlight, part of the modular range. Modular: flexibility in a host of technical configurations.




Luminaire Structure

- Die-cast aluminium housing with powder coating
- Die-cast aluminium heat sink with excellent thermal management
- Propriety lens design for high LOR
- Adjustable: Tilt 30°
- Remote driver is included


Feature



Light symbol



Product colour



We reserve the right to make technical and design changes.

01:27, 30-08-2021

<https://www.ligman.com/norton-modular-multiple-recessed-directional-downlights-no-mo3/>

Europe
 LIGMAN EUROPE s.r.o.
 VGP Park Ústí nad Labem
 P 2 120
 40317, Přestanov
 Czech Republic
 +420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
 LIGMAN Lighting Co.,Ltd.
 17/2 Moo4 Monthong
 Bangnampreaw
 24150, Chachoengsao
 Thailand
 +66 2 108 6700
info@ligman.com

NORTON

Technical information

	Model number	Light source	Power	Lumen	Optic	CCT / CRI	Dimming type	Weight
237x237 mm								
NORTON 1	NO-80001	4 x 5 LED	34 W	2448 - 3000 lm	M [31°], N [19°], W [48°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off, Trailing edge dimming	1.77 kg.
NORTON 1	NO-80011	4 x 7 LED	47 W	3532 - 4160 lm	M [26°], N [15°], W [35°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off, Trailing edge dimming	2.11 kg.
291x291 mm								
NORTON 2	NO-80021	4 x 9 LED	59 W	4380 - 5132 lm	M [26°], N [15°], W [39°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off, Trailing edge dimming	3.63 kg.
NORTON 2	NO-80031	4 x 12 LED	79 W	6048 - 6880 lm	M [26°], N [15°], W [39°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off, Trailing edge dimming	3.98 kg.
NORTON 3	NO-80041	4 x 18 LED	115 W	9936 - 11348 lm	M [27°], N [15°], W [42°]	3000K CRI80, 4000K CRI80	DALI, 1-10V, On/Off	5.07 kg.

We reserve the right to make technical and design changes.

01:27, 30-08-2021


<https://www.ligman.com/norton-modular-multiple-recessed-directional-downlights-no-mo3/>

Europe
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com


ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

NORTON


Norton 1



Norton 2



Norton 3



We reserve the right to make technical and design changes.

01:27, 30-08-2021

<https://www.ligman.com/norton-modular-multiple-recessed-directional-downlights-no-mo3/>

Europe
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com