


# ODESSA



Tapered-column stylish spiral-cluster projector solution. Flexible project solutions on gently tapering spike column utilizing and spiral arrangement of the naturally beautiful and unique contemporary ODESSA projector range.




microPrim™


## Luminaire Structure

- Die-cast aluminium housing
- Pre-treated before powder coating ensuring high corrosion resistance
- Single cable entry, through wiring upon request
- Stainless steel fasteners in grade 304 with zinc flake coating (ZFC)
- Durable silicone rubber gasket
- High-efficiency optical reflector
- Clear toughened glass
- Integral control gear
- Maximum wind load resistance is 160 km/h
- RGBW available upon request


## Feature




## Optic



## Product colour



## Special finishes upon request



# ODESSA

## Technical information

	Model number	Light source	Power	Lumen	Optic	CCT / CRI	Dimming type	Weight
<b>Large - Supplied with specific 4 m cylindrical, tapered galvanised steel pole: SPT140118-OD</b>								
ODESSA 23	<b>OD-21081</b>	4 x 1 COB	280 W	29696 - 34744 lm	N [20°], M [32°], W [43°], VW [69°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	67.0 kg
ODESSA 23	<b>OD-21084</b>	4 x 1 COB	216 W	23876 - 27932 lm	N [20°], M [32°], W [43°], VW [69°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	67.0 kg
ODESSA 24	<b>OD-21091</b>	4 x 7 LED	240 W	21804 - 23416 lm	VN [8°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	65.5 kg
ODESSA 24	<b>OD-21097</b>	4 x 7 LED	180 W	17160 - 18428 lm	VN [8°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	65.5 kg
<b>Large - Supplied with specific 6 m cylindrical, tapered galvanised steel pole: SPT160147-OD</b>								
ODESSA 23	<b>OD-21082</b>	4 x 1 COB	280 W	29696 - 34744 lm	N [20°], M [32°], W [43°], VW [69°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	92.5 kg
ODESSA 23	<b>OD-21085</b>	4 x 1 COB	216 W	23876 - 27932 lm	N [20°], M [32°], W [43°], VW [69°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	92.5 kg
ODESSA 24	<b>OD-21092</b>	4 x 7 LED	240 W	21804 - 23416 lm	VN [8°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	91.0 kg
ODESSA 24	<b>OD-21098</b>	4 x 7 LED	180 W	17160 - 18428 lm	VN [8°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	91.0 kg
<b>Large - Supplied with specific 8 m cylindrical, tapered galvanised steel pole: SPT180176-OD</b>								
ODESSA 23	<b>OD-21083</b>	4 x 1 COB	280 W	29696 - 34744 lm	N [20°], M [32°], W [43°], VW [69°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	124.0 kg
ODESSA 23	<b>OD-21086</b>	4 x 1 COB	216 W	23876 - 27932 lm	N [20°], M [32°], W [43°], VW [69°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	124.0 kg
ODESSA 24	<b>OD-21093</b>	4 x 7 LED	240 W	21804 - 23416 lm	VN [8°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	122.5 kg
ODESSA 24	<b>OD-21099</b>	4 x 7 LED	180 W	17160 - 18428 lm	VN [8°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	122.5 kg
<b>Medium - Supplied with specific 4 m cylindrical, tapered galvanised steel pole: SPT140118-OD</b>								
ODESSA 2	<b>OD-21031</b>	4 x 1 COB	140 W	11372 - 14180 lm	N [15°], M [24°], W [47°], VW [66°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	57.8 kg
ODESSA 2	<b>OD-21036</b>	4 x 3 LED	108 W	6544 - 8020 lm	VN [8°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	57.8 kg
<b>Medium - Supplied with specific 6 m cylindrical, tapered galvanised steel pole: SPT160147-OD</b>								
ODESSA 2	<b>OD-21033</b>	4 x 1 COB	140 W	11372 - 14180 lm	N [15°], M [24°], W [47°], VW [66°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	66.9 kg
ODESSA 2	<b>OD-21037</b>	4 x 3 LED	108 W	6544 - 8020 lm	VN [8°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	66.9 kg
<b>Medium - Supplied with specific 8 m cylindrical, tapered galvanised steel pole: SPT180176-OD</b>								
ODESSA 2	<b>OD-21035</b>	4 x 1 COB	140 W	11372 - 14180 lm	N [15°], M [24°], W [47°], VW [66°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	90.4 kg
ODESSA 2	<b>OD-21038</b>	4 x 3 LED	108 W	6544 - 8020 lm	VN [8°]	2700K CRI80, 3000K CRI80, 4000K CRI80	On/Off	90.4 kg

## Accessory

We reserve the right to make technical and design changes.

07:15, 02-04-2026








<https://www.ligman.com/odessa-tapered-column-projectors-odessa-pr3/>





### THAILAND

LIGMAN Lighting Co.,Ltd.  
17/2 Moo 4, Monthong, Bang Nam Prio,  
24150 Chachoengsao - Thailand  
[info@ligman.com](mailto:info@ligman.com)




**ODESSA**

	 Root mount kit <b>A20491</b>	 Root mount kit <b>A21191</b>	 Linear spread lens <b>A51814</b>	 Honeycomb louvre <b>A54121</b>	 Anti glare visor <b>A54331</b>	 Anti glare visor <b>A54431</b>	 Anti glare louvre <b>A54531</b>
OD-21031	•						
OD-21033	•						
OD-21035		•					
OD-21036	•						
OD-21037	•						
OD-21038		•					
OD-21081	•		•	•	•		•
OD-21082	•		•	•	•		•
OD-21083		•	•	•	•		•
OD-21084	•		•	•	•		•
OD-21085	•		•	•	•		•
OD-21086		•	•	•	•		•
OD-21091	•		•	•		•	
OD-21092	•		•	•		•	
OD-21093		•	•	•		•	
OD-21097	•		•	•		•	
OD-21098	•		•	•		•	
OD-21099		•	•	•		•	

	 Anti glare louvre <b>A54631</b>	 Linear spread lens <b>A80114</b>	 Anti-glare visor <b>A80131</b>	 Anti-glare louvre <b>A80231</b>
OD-21031		•	•	•
OD-21033		•	•	•
OD-21035		•	•	•
OD-21036		•	•	•
OD-21037		•	•	•
OD-21038		•	•	•
OD-21081				
OD-21082				
OD-21083				
OD-21084				
OD-21085				
OD-21086				
OD-21091	•			
OD-21092	•			
OD-21093	•			
OD-21097	•			
OD-21098	•			
OD-21099	•			

**ODESSA**



We reserve the right to make technical and design changes.

07:15, 02-04-2026

<https://www.ligman.com/odessa-tapered-column-projectors-odessa-pr3/>

**THAILAND**  
 LIGMAN Lighting Co.,Ltd.  
 17/2 Moo 4, Monthong, Bang Nam Prio,  
 24150 Chachoengsao - Thailand  
[info@ligman.com](mailto:info@ligman.com)



**ODESSA**



ODESSA  
**Surface exterior downlights**

Surface ceiling-mounted decorative exterior downlights. Naturally beautiful and unique contemporary family, ODESSA packs a punch with an abundance of options and accessories.

<https://www.ligman.com/odessa-surface-exterior-downlights-od-ce3/>



ODESSA  
**Floodlights, projectors**

Stylish adjustable projector range. Naturally beautiful and unique contemporary family, ODESSA packs a punch with an abundance of options and accessories.

<https://www.ligman.com/odessa-floodlights-projectors-od-pr3/>



ODESSA  
**Cluster surface mounted projectors**

Stylish adjustable triple-projector frame system. Naturally beautiful and unique contemporary family, ODESSA packs a punch and this exceptional frame system affords consolidated and concealed mounting and aiming.

<https://www.ligman.com/odessa-cluster-surface-mounted-projectors-ode-pr3/>



ODESSA  
**Cluster column projectors**

Adjustable column stylish projector cluster solution. Flexible project solutions in symmetrical cluster arrangements utilizing the naturally beautiful and unique contemporary ODESSA projector range.

<https://www.ligman.com/odessa-cluster-column-projectors-odes-pr3/>



ODESSA  
**Column projectors**

Adjustable column stylish projector spiral-cluster solution. Flexible project solutions in attractive spiral cluster arrangements utilizing the naturally beautiful and unique contemporary ODESSA projector range.

<https://www.ligman.com/odessa-column-projectors-odess-pr3/>



ODESSA  
**Gobo projectors**

Elegant and powerful Gobo projector to match the entire ODESSA 2 family of fixtures and an added tool for clusters, columns and structures. Optional focal lengths, able to take both metal and glass size-E gobos and IP66 protection with a unique side-entry hatch for site focusing and gobo rotation.

<https://www.ligman.com/odessa-gobo-projectors-odgb-pr3/>



ODESSA  
**Fixed-base projectors**

Stylish fixed-base projector range. Naturally beautiful and unique contemporary family,



ODESSA  
**Fixed-base gobo projectors**

Elegant and powerful fixed-base gobo projector to match the entire ODESSA 2 family of fixtures and



ODESSA  
**Long arm mounted projectors**

Stylish adjustable projector range with an extended arm, available wall-mounted or threaded

# ODESSA

ODESSA packs a punch with an abundance of options and accessories.

<https://www.ligman.com/odessa-fixed-base-projectors-odessaod-pr3/>

an added tool for clusters, columns and structures. Optional focal lengths, able to take both metal and glass size-E gobos and IP66 protection with a unique side-entry hatch for site focusing and gobo rotation.

<https://www.ligman.com/odessa-fixed-base-gobo-projectors-odegb-pr3/>

for ease of installation. A beautiful, unique contemporary family, ODESSA packs a punch with an abundance of options and accessories.

<https://www.ligman.com/odessa-long-arm-mounted-projectors-odessaod-pr3/>