

RADO




Sturdy classic bollard pathway and stair luminaire. Simple pleasing aesthetic and sturdy construction, perfect for delineating perimeter applications.




Luminaire Structure

- Die-cast aluminium housing
- Formed sheet aluminium column
- Pre-treated before powder coating ensuring high corrosion resistance
- Single cable entry
- Stainless steel fasteners in grade 304 with zinc flake coating (ZFC)
- Durable silicone rubber gasket
- Clear toughened glass
- Integral control gear


Feature




Optic



Product colour






Special finishes upon request







RADO

Technical information

Model number	Light source	Power	Lumen	Optic	CCT / CRI	Dimming type	Weight
130x146 mm - 800 mm							
RADO 1 RA-10751	1 COB	4 W	119 - 133 lm	G [45°x 36°]	3000K CRI80, 4000K CRI80, 2700K CRI80	On/Off, 1-10V	5.0 kg
276x120 mm - 800 mm							
RADO 3 RA-10792	36 LED	13 W	443 - 540 lm	G [84°x 30°]	3000K CRI80, 4000K CRI80, 2700K CRI80	On/Off, 1-10V, DALI	7.8 kg
290x120 mm - 800 mm							
RADO 2 RA-10772	48 LED	17 W	536 - 620 lm	G [32°x88°]	3000K CRI80, 4000K CRI80, 2700K CRI80	On/Off, 1-10V, DALI	7.4 kg 
294x135 mm - 800 mm							
RADO 5 RA-10822	48 LED	17 W	402 - 587 lm	G [23°x94°]	3000K CRI80, 4000K CRI80, 2700K CRI80	On/Off, 1-10V, DALI	8.1 kg 
310x160 mm - 800 mm							
RADO 4 RA-10812	48 LED	27 W	737 - 853 lm	G [76°x 55°]	3000K CRI80, 4000K CRI80, 2700K CRI80	On/Off, 1-10V, DALI	10.4 kg 

Accessory

	 Anchor bolt A10591	 Anchor bolt A10891	 Anchor bolt A10991	 DALI Control System Control-DALI
RA-10751
RA-10772
RA-10792
RA-10812
RA-10822











RA-10751

RA-10772

RA-10792

RA-10812

RA-10822



RADO



RADO
Recessed luminaires

Sturdy classic wall-recessed pathway and stair luminaire. Simple pleasing aesthetic and sturdy construction, perfect for retrofit applications with its multiple sizes offered.

<https://www.ligman.com/rado-recessed-luminaires-ra-re3/>