

**ZAAB**



Adjustable column projector cluster solution. Flexible project solutions in attractive cluster arrangements using the conical-shaped stylish ZAAB projector range.



**Luminaire Structure**

- Die-cast aluminium housing
- Pre-treated before powder coating ensuring high corrosion resistance


- Single cable entry
- Stainless steel fasteners in grade 304 with zinc flake coating (ZFC)
- Durable silicone rubber gasket

- High-efficiency optical reflector
- Clear toughened glass
- Integral control gear installed in the spigot cover post top


**Feature**




**Optic**



**Product colour**



**Special finishes upon request**









# ZAAB


## Technical information

	Model number	Light source	Power	Lumen	Optic	CCT / CRI	Dimming type	Weight
<b>With mounting box - Double</b>								
ZAAB 3	<b>ZA-20011</b>	6 x 1 COB	240 W	25164 - 30078 lm	N [16°], M [26°], W [41°], VW [65°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	43.8 kg
<b>With mounting box - Single</b>								
ZAAB 3	<b>ZA-20001</b>	3 x 1 COB	120 W	12582 - 15039 lm	N [16°], M [26°], W [41°], VW [65°]	3000K CRI80, 4000K CRI80	On/Off, 1-10V, DALI	36.8 kg


## Accessories

	 Linear spread lens <b>A51014</b>	 Anti-glare louvre <b>A51721</b>	 Anti-glare visor <b>A52631</b>	 Anti-glare hood <b>A52731</b>	 Snoot <b>A54231</b>	 DALI Control System <b>Control-DALI</b>
ZA-20001	•	•	•	•	•	•
ZA-20011	•	•	•	•	•	•

**ZA-20001**



**ZA-20011**



**ZAAB**

---

ZAAB

---

**Floodlights, projectors**

---

Adjustable surface projector family. Conical, stylish projector range with a wealth of options and accessories.

<https://www.ligman.com/zaab-floodlights-projectors-za-pr3/>