

ARIZONA 2 (AR-20973-LC)



Product description

Ø225 mm - Supplied with specific 3 m cylindrical, straight aluminium pole: APD130225-AR-20973 - LIGHTCONNECT™



**LIGHT
CONNECT™**

microVOS™
TECHNOLOGY

Luminaire Structure

- Die-cast aluminium housing
- Extruded aluminium column
- Pre-treated before powder coating ensuring high corrosion resistance
- Single cable entry
- One IP68 connector supplied with 0.2 m of 3x1.0 sqmm outdoor cable

- Stainless steel fasteners in grade 304 with zinc flake coating (ZFC)
- Durable silicone rubber gasket
- High-efficiency optical reflector
- Clear acrylic PMMA diffuser
- Integral control gear


- Maximum wind load resistance is 140 km/h
- Surge protection 10kV
- For ARIZONA 8, the luminaire and the lighting pole with illuminated decorative graphic are controlled separately. Upon request, they can be controlled together by the same protocol, either DMX or DALI.

Optic




VW

Product colour



Special finishes upon request




ARIZONA 2 (AR-20973-LC)

Technical information

Material	Aluminium	Optic value	70°	Operating temperature	-20 °C to 40 °C
Light source	1 COB	CCT / CRI	3000K CRI80, 4000K CRI80	Cable	One IP68 connector supplied with 0.2 m of 3x1.0 sqmm outdoor cable
Power	39 W	Bug	B2-U3-G0	Through wiring	Single cable entry
Lumen	3419 - 3657 lm	ULR	7%	Lens / Reflector / Optic	High-efficiency optical reflector, Clear acrylic PMMA diffuser
Efficacy	88 - 94 lm/W	ULOR	7%	MacAdam Ellipse	3 SDCM
Driver option	Integral control gear	CIE flux code n°3	99	Lifetime L90B10 (hours)	> 50,700
Driver	Constant current (CC)	Dimming type	DALI	Lifetime L80B10 (hours)	> 63,500
Input voltage	220-240 V 50/60 Hz	Product colours	Black, Dark Grey, White, Matt Silver, Bronze, Concrete - Urban, Softscape - Urban, Stone - Urban, Corten - Urban, Oak - Woodland, Walnut - Woodland, Pine - Woodland	Lifetime L80B50 (hours)	> 63,500
Optic	VW	Weight	34.8 kg	Variants (DALI)	Compatible with EN/ IEC 60598-2-22: Suitable for emergency installations as central supply, non-maintained (Z0)

AR-20973



Accessories



ARIZONA 2 (AR-20973-LC)



3 m - Cylindrical, straight aluminium pole for ARIZONA
APD130225-AR-20973



DALI Control System
Control-DALI



Smart Pole Accessories
Accs-Smart-Pole