

BENTON 3 (BE-20001-LC)



Product description

Ø225 mm - Supplied with specific 4.5 m cylindrical, straight aluminium pole: APD125225-BE-20001 - LIGHTCONNECT™

Luminaire Structure


- Single cable entry
- Clear toughened glass
- Integral control gear
- One IP68 connector supplied with 0.2 m of 3x1.0 sqmm outdoor cable
- High-efficiency optical reflector

Optic




G

Product colour



Special finishes upon request



BENTON 3 (BE-20001-LC)


Technical information

| | |
|----------------------|-----------------------|
| Material | Aluminium |
| Light source | 1 COB |
| Power | 40 W |
| Lumen | 2458 - 2489 lm |
| Efficacy | 61 - 62 lm/W |
| Driver option | Integral control gear |
| Driver | Constant current (CC) |
| Input voltage | 220-240 V 50/60 Hz |

| | |
|------------------------------|--|
| Optic | G |
| Optic value | 65° |
| CCT / CRI | 3000K CRI80, 4000K CRI80 |
| Dimming type | DALI |
| Product colours | Black, Dark Grey, White, Matt Silver, Bronze, Concrete - Urban, Softscape - Urban, Stone - Urban, Corten - Urban, Oak - Woodland, Walnut - Woodland, Pine - Woodland |
| Weight | 33.0 kg |
| Operating temperature | -20 °C to 40 °C |
| Cable | One IP68 connector supplied with 0.2 m of 3x1.0 sqmm outdoor cable |

| | |
|---------------------------------|--|
| Through wiring | Single cable entry |
| Lens / Reflector / Optic | Clear toughened glass, High-efficiency optical reflector |
| MacAdam Ellipse | 3 SDCM |
| Lifetime L90B10 (hours) | > 50,700 |
| Lifetime L80B10 (hours) | > 63,500 |
| Lifetime L80B50 (hours) | > 63,500 |


BENTON 3
BE-20001



Accessories



Camera - 180°
A91191



Intercom
A91391



Round power socket
A91591



Speaker 100 W
A91291

BENTON 3 (BE-20001-LC)

WiFi 6 AX Cloud manage AP and
Mesh
A91091



Motion sensor - PIR - DALI - Up
to 3 m
A91691-L2



EO Hub
A91991



Motion sensor - PIR - DALI - Up
to 12 m
A91691-L7



NEMA 7 socket
A90891



EV Charger (EO genius)
A91491-EOG



4.5 m - Cylindrical, straight
aluminium pole for BENTON
APD125225-BE-20001