


**GAVLE 5 (GAV-90013)**



**Product description**

Down - 60x90 mm - 1000 mm - RGBW



**Luminaire Structure**

- Extruded aluminium bended profile with powder coating
- Stainless steel fasteners in grade 316
- Stainless steel, adjustable, suspension (1.5 m) complete with electrical wires in white for mounting
- Opal PMMA diffuser (UGR <19) for glare control

- Up and down light distribution options
- Passive thermal management
- Integral control gear
- Remote driver is included for dimming type: 1-10V (-DI) for GAV-90001, GAV-90011, GAV-90021, GAV-90031, GAV-90041, GAV-90051, GAV-90061, GAV-90071, GAV-90101, GAV-90111, GAV-90121, GAV-90131, GAV-90141, GAV-90151, GAV-90161, GAV-90171

- Wireless control available through Bluetooth connection
- Daylight and occupancy sensor options

**Optic**




0

**Product colour**



01 - Black (RAL 9011)    03 - White (RAL 9003)    05 - Matt Silver (RAL 9006)

**Special finishes upon request**




SU01 - Concrete - Urban    SU02 - Softscape - Urban    SU03 - Stone - Urban    SU04 - Corten - Urban  
SW01 - Oak - Woodland    SW02 - Walnut - Woodland    SW03 - Pine - Woodland

**GAVLE 5 (GAV-90013)**


**Technical information**

<b>Material</b>	Aluminium	<b>Driver</b>	Constant current (CC)	<b>Product colours</b>	Black, White, Matt Silver, Concrete
<b>Light source</b>	960 LED	<b>Input voltage</b>	400 mA,		- Urban, Softscape - Urban, Stone
<b>Power</b>	53 W	<b>Optic</b>	0	- Urban, Corten - Urban, Oak -	Woodland, Walnut - Woodland,
<b>Lumen</b>	1746 lm	<b>Optic value</b>	Opal	Pine - Woodland	
<b>Efficacy</b>	33 lm/W	<b>CCT / CRI</b>	RGBW40	<b>Weight</b>	7.3 kg
<b>Driver option</b>	Remote driver (included)	<b>Dimming type</b>	Bluetooth	<b>Operating temperature</b>	-20 °C to 40 °C
				<b>Variants (Bluetooth)</b>	Compatible with EN/ IEC 60598-2-22: Suitable for emergency installations as central supply, non-maintained (Z0)

GAV-90013



**Accessories**



Ceiling-mounting bracket (60 mm profile)  
**A81481**



Xpress wireless switch  
**A90591**



Recessing box  
**A61051**



DALI Control System  
**Control-DALI**