


L-COLUMN Generation 3: Steel Ø216 mm (LCP-S0216)

LCP-S0216

**Technical information**

EPA (m2)

0.659

L-COLUMN Generation 3: Steel Ø216 mm (LCP-S0216)

Accessory



Camera - 2 x 180°
LCO-20024




Camera - 360°
LCO-20021




360° Lighting (54 W)
LCO-20011



360° Lighting (54 W) + WiFi 6 AX
LCO-20012



360° Lighting (70 W)
LCO-20013



360° Lighting (70 W) + WiFi
LCO-20014



Adjustable luminaire mount arm
LCO-20132



Arm banner
A21281



Bracket projectors
A21181



Column
LCO-20091



Digital signage
A92191



EV Charger
LCO-20093



EV Charger + Intercom
LCO-20094



Intercom
LCO-20092



Luminaire mount arm
LCO-20131



NEMA 7 socket
LCO-20051

L-COLUMN Generation 3: Steel Ø216 mm (LCP-S0216)



Motion sensor
LCO-20121



Post top luminaire base
LCO-20101



Root mount kit for LCO-20112
A22291



Round power socket
A91591



Sound system - Network
LCO-20071



Top cover for L-COLUMN
A21591



WiFi
LCO-20041



Zhaga Book 18 socket
LCO-20052

SOFTWARE



DETECTION

Software - Face, Body, Vehicle
detection
A93391



LIGMAN IDM
IOT DEVICE MANAMENT

Software - LIGMAN IDM
A93591