

ZAAB 1 (ZA-50001) (Version 2)**Product description**


With mounting box

**Luminaire Structure**

- Die-cast aluminium housing
- Pre-treated before powder coating ensuring high corrosion resistance
- Single cable entry, through wiring upon request

- Stainless steel fasteners in grade 304 with zinc flake coating (ZFC)
- Durable silicone rubber gasket
- High-efficiency optical reflector

- Clear toughened glass
- Integral control gear

Optic**N****M****W****Product colour**

01 - Black (RAL 9011)


02 - Dark Grey (RAL 7043)

03 - White (RAL 9003)

05 - Matt Silver (RAL 9006)



06 - Bronze (RAL 6014)

Special finishes upon request

SU01 - Concrete - Urban

SU02 - Softscape - Urban

SU03 - Stone - Urban

SU04 - Corten - Urban

SW01 - Oak - Woodland

SW02 - Walnut - Woodland


SW03 - Pine - Woodland

ZAAB 1 (ZA-50001) (Version 2)

Technical information

Material	Aluminium	Optic	N, M, W	Product colours	Black, Dark Grey, White, Matt Silver, Bronze, Concrete - Urban, Softscape - Urban, Stone - Urban, Corten - Urban, Oak - Woodland, Walnut - Woodland, Pine - Woodland	
Light source	1 COB	Optic value	14°, 24°, 44°			
Power	20 W	CCT / CRI	3000K CRI80, 4000K CRI80			
Lumen	1875 - 2070 lm	Bug	B2-U0-G0			
Efficacy	94 - 104 lm/W	ULR	0%			
Driver option	Integral control gear	ULOR	0%			
Driver	Constant current (CC)	CIE flux code n°3	100			
Input voltage	220-240 V 50/60 Hz	Dimming type	On/Off, 1-10V, DALI			
					Weight	2.8 kg
					Operating temperature	-20 °C to 40 °C
				Through wiring	Single cable entry, through wiring upon request	
				Lens / Reflector / Optic	High-efficiency optical reflector, Clear toughened glass	
				MacAdam Ellipse	3 SDCM	
				Lifetime L90B10 (hours)	> 61,000	
				Variants (On/Off, 1-10V, DALI)	Compatible with EN/ IEC 60598-2-22: Suitable for emergency installations as central supply, non-maintained (Z0)	

ZA-50001



Accessories



Anti-glare visor
A52431




Anti-glare hood
A52531



Anti-glare louvre
A51621



Linear spread lens
A50914

ZAAB 1 (ZA-50001) (Version 2)

Snoot
A54131



DALI Control System
Control-DALI

Please contact the factory for technical details if you wish to use Anti-glare accessories, Colour filters, Lenses and slip glasses in combination.